Effective Date: 2017/12/21 DG1723395E

SAFETY DATA SHEET

Tert-butyl peroxybenzoate 50%

Lanzhou Auxiliary Agent Plant Co., Ltd

According to GHS (Sixth Revised Edition)



Section 1 **Product and Company Identification**

> Product Identifier

Product Name Tert-butyl peroxybenzoate 50%

Synonyms

CAS No.

EC No.

Molecular Formula

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified

Uses

Please consult manufacturer.

Please consult manufacturer. **Uses Advised Against**

> Details of the Supplier of the Safety Data Sheet

Lanzhou Auxiliary Agent Plant Co., Ltd **Applicant Name**

No.358 Nanpoping Shajingyi Anning District, Lanzhou City, Gansu Province, **Application Address**

China

Applicant Post Code 730079

Applicant Telephone +86-931-7713668 +86-931-7766467 **Applicant Fax** Applicant E-mail 543908218@qq.com

Supplier Name Lanzhou Auxiliary Agent Plant Co., Ltd

No.358 Nanpoping Shajingyi Anning District, Lanzhou City, Gansu Province, Supplier Address

China

Supplier Post Code 730079

Supplier Telephone +86-931-7713668 **Supplier Fax** +86-931-7766467 Supplier E-mail 543908218@qq.com

> Emergency Phone Number

Emergency Phone

+86-931-7766493 Number

Hazards Identification Section 2

Hazard class and label elements of the product according to GHS (the sixth revised edition):

> GHS Hazard Class

Organic Peroxides Type C **Acute Toxicity – Oral** Category 5

Skin Corrosion/IrritationCat

Category 2

Sensitization – Skin Category 1

Acute Toxicity – Inhalation

Category 4

Hazardous To The

Aquatic Environment

Category 1

Short-Term (Acute)Hazard

Hazardous To The

Aquatic Environment

Category 3

Long-Term(Chronic) Hazard

> GHS Label Elements



Signal Word Danger

> Hazard Statements

H242 Heating may cause a fireH303 May be harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H332 Harmful if inhaled

H400 Very toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

> Precautionary Statements

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P234 Keep only in original packaging.

P235 Keep cool.

P240 Ground and bond container and receiving equipment.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P312 Call a POISON CENTER/doctor, if you feel unwell.

P391 Collect spillage.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
Storage

P403 Store in a well-ventilated place.

P410 Protect from sunlight.
P420 Store separately.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

Section 3 Composition/Information on Ingredients

| Component | Concentration (weight percent, %) | CAS No. | EC No. | |
|---------------------------|-----------------------------------|----------|-----------|--|
| Tert-butyl peroxybenzoate | Commercial secrets | 614-45-9 | 210-382-2 | |
| Dodecane | Commercial secrets | 112-40-3 | 203-967-9 | |

Section 4 First Aid Measures

> Description of First Aid Measures

| General Advice | Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance. |
|-------------------------------|---|
| Eye Contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable. |
| Skin Contact | Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable. |
| Ingestion | Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. |
| Inhalation | Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately. |
| Protecting of First-aiders | Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination. |

> Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

- Treat symptomatically.
- 2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

Extinguishing Media
 Suitable Extinguishing
 Media
 Unsuitable
 Extinguishing Media

> Specific Hazards Arising from the Substance or Mixture

1 Containers may explode when heated.

- 2 Fire exposed containers may vent contents through pressure relief valves.
- 3 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- **2** Fight fire from a safe distance, with adequate cover.
- **3** Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure

> Personal Precautions, Protective Equipment and Emergency Procedures

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- **2** Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- **1** Handling is performed in a well ventilated place.
- Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- **4** Keep away from heat/sparks/open flames/ hot surfaces.
- **5** Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- **2** Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

No information available

Biological Limit Values

No information available

Monitoring Methods

- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- **2** GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series standard).

> Engineering Controls

1 Ensure adequate ventilation, especially in confined areas.

- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to **Hand Protection**

EN 374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are

experienced, use a full-face respirator with multi-purpose combination (US) or **Respiratory protection**

type AXBEK (EN 14387) respirator cartridges.

Skin and

Protection

Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 Physical and Chemical Properties

Appearance: Light yellow transparent liquid **Odor:** No information available Odor Threshold: No information available pH: No information available

Melting Point/Freezing Point (°C): No information Initial Boiling Point and Boiling Range (°C): No

available information available

Flash Point (°C)(Closed Cup): No information

available

Body

Flammability: Not applicable

Vapor Pressure (MPa): No information available

Relative Density(Water=1): No information

available

n-Octanol/Water Partition Coefficient: No

information available

Decomposition Temperature (°C): No information Kinematic Viscosity (mm²/s): No information

available

Particle characteristics: Not applicable

Evaporation Rate: No information available

Upper/lower explosive limits[%(v/v)]: Upper limit : No information available ;Lower limit :No information

available

Relative Vapour Density(Air = 1): No information

available

Solubility: No information available

Auto-Ignition Temperature(°C): No information

available

available

Section 10 Stability and Reactivity

Contact with incompatible substances can cause decomposition or other Reactivity

chemical reactions.

Chemical Stability Stable under proper operation and storage conditions.

Possibility of

Hazardous Reactions

No information available

Conditions to Avoid

Incompatible materials, heat, flame and spark.

Incompatible Materials

No information available

Hazardous

Decomposition

products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

| Component | CAS No. LD ₅₀ (Oral) | | LD ₅₀ (Dermal) | LC ₅₀ (Inhalation, 4h) | |
|----------------------------------|---------------------------------|----------------|---------------------------|-----------------------------------|--|
| Tert-butyl peroxybenzoat e | 614-45-9 | 1012mg/kg(Rat) | No information available | No information available | |

> Skin Corrosion/Irritation

Causes skin irritation(Category 2)

> Serious Eye Damage/Irritation

No information available

> Skin Sensitization

May cause an allergic skin reaction(Category 1)

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

| ID | CAS No. | Component | IARC | NTP |
|----|----------|------------------------------|------------|------------|
| 1 | 614-45-9 | Tert-butyl peroxybenzoate | Not Listed | Not Listed |
| 2 | 112-40-3 | Dodecane | Not Listed | Not Listed |

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

No information available

> Chronic Aquatic Toxicity

No information available

> Others

Potential

Persistence and Degradability **Bioaccumulative**

No information available

No information available

Mobility in Soil

No information available

Results of PBT and vPvB Assessment

Tert-butyl peroxybenzoate does not meet the criteria for PBT and vPvB

according to Regulation (EC) No 1907/2006, annex XIII.

Dodecane does not meet the criteria for PBT and vPvB according to Regulation

(EC) No 1907/2006, annex XIII.

Section 13 **Disposal Considerations**

Before disposal should refer to the relevant national and local laws and **Waste Chemicals**

regulation. Recommend the use of incineration disposal.

Contaminated Packaging Disposal Recommendations Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Refer to section 13.1 and 13.2.

Section 14 Transport Information

Transporting Label



Yes Marine pollutant

UN Number 3103

UN Proper Shipping

ORGANIC PEROXIDE TYPE C,LIQUID

Transport Hazard Class Transport Subsidiary

Hazard Class

Name

None

5.2

Packing Group Meet the class Π packaging requirements

Section 15 Regulatory Information

> International Chemical Inventory

| Component | EINECS | TSCA | DSL | IECSC | NZIoC | PICCS | KECI | AICS | ENCS |
|------------------------------|--------|------|-----|-------|-------|-------|------|------|------|
| Tert-butyl peroxybenzoate | √ | √ | √ | √ | √ | √ | √ | √ | √ |
| Dodecane | √ | √ | √ | √ | √ | √ | √ | √ | √ |

[EINECS] European Inventory of Existing Commercial Chemical Substances.

TSCA United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.[AICS] Australia Inventory of Chemical Substances.

[ENCS] Existing And New Chemical Substances.

Note

"√" Indicates that the substance included in the regulations

"x" That no data or included in the regulations

Section 16 Additional Information

 Creation Date
 2017/12/21

 Revision Date
 2017/12/21

Reason for Revision -

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 6th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.